



Foshan Tian Bao Li Silicon Engineering Technology Co., Ltd

TBL-6237 Material Safety Data Sheet

	1.CHEMICALS AND COMPANY IDENTIFICATION		
1.1	Product Name:	Bonding Silicone Sealant	
1.2	Product Type:	TBL-6237	
1.3	Manufacturer Name:	Foshan Tian Bao Li Silicon Engineering Technology Co., Ltd	
1.4	Address:	No.8, Leqiang Road, Leping Town, Sanshui District, Foshan City,	
1.7		Guangdong Province, China	
1.5	Tel:	0757-87653811	
1.6	Fax:	0757-87652266	
1.7	Contact Person:	Technical Service Engineer	

2.COMPOSITION/MAIN INFORMATION				
2.1	Chemical Classification:		Mixture	
2.2	Product use:	Materials for	bonding and sealing	
2.3		Component:		
	Chemical Name:	CAS NO.	Contain% (w/w)	
	Polysiloxane	63148-62-9	45-50	
	Functional Filler	471-34-1	20-45	
	Functional Filler	7631-86-9	10-15	
	Coupling Agent	919-30-2	1-5	

	3.HAZARDS IDENTIFICATION		
3.1	Hazards Classification:	Non hazardous chemicals.	
3.2	Invasion Approach	Skin, Eye contact, Inhalation.	
3.3	Environmental	It may cause pollution to the soil and water environment, but it can	
3.3	Hazards	not predict harmful effects on aquatic and terrestrial organisms.	
3.4	Explosion Hazard:	No	
3.5	Health Hazards	Contact with skin may cause slight irritation; Contains substances that are irritating to the eyes and may cause blurred vision, burning pain and tears; Steam may cause respiratory irritation. People with allergic skin and lung diseases are easily caused to allergic reactions.	
3.6	Emergency Review:	Irritation after physical contact should be rinsed immediately with flowing water for more than 15 minutes, then seek medical advice as soon as possible.	





		4.FIRST AID MEASURES
4.1	Eye Contact:	Open your eyelids, rinse thoroughly for more than 15 minutes, and
4.1		seek medical advice if necessary.
		Remove the contaminated clothing, clean up contamination with
4.2	Skin Contact:	the rag or paper, and wash the basic skin area thoroughly, then
4.2	Skin Contact:	wash with soapy water, seek medical treatment if necessary. Wash
		contaminated clothing before reuse.
	Inhalation:	Transfer to fresh air immediately, and supply oxygen if breathing is
		difficult.Respiratory arrest artificial respiration should be given
4.3		immediately.
4.3		Immediately transferred to the fresh air, breathing difficulties
		should supply oxygen, respiratory arrest should immediately be
		given artificial respiration, immediately sent to the doctor.
4.4	Ingestion:	Don't urge vomiting. Keep calm and get timely medical treatment.
4.5	Main symptoms and	Causa ava irritation and akin hymorgansitivity
	hazards:	Cause eye irritation and skin hypersensitivity.

	5.I	FIREFIGHTING MEASURES
5.1	Fire fighting methods:	The fire lifeguard shall wear full set of protective equipment such as positive pressure type comprehensive respiratory protective device, face mask, protective clothing, etc.Set up isolation belt to put out the fire from a safe distance.
5.2	Applicable extinguishing medium:	Use water gun, carbon dioxide, foam or dry powder fire extinguisher.
5.3	Hazardous characteristics:	Combustion and decomposition products of SiO ₂ , metal oxides and other potentially harmful organic compounds. In case of fire, closed high-pressure containers may explode.
5.4	Hazardous Combustion Products:	Carbon dioxide, oxides of nitrogen, oxides of phosphorus, oxides of sulfur and irritant organic gases.

	6.ACCIDENTAL RELEASE MEASURES		
6.1	Protective measures for operators:	The emergency treatment personnel shall wear self-contained breathing apparatus to avoid contact with skin and eyes and wear eye protection.	
		1.Cut off the fire source, isolation leakage polluted area, the rapidly	
6.2	Emergency	evacuate people to a safe area and restrict access.	
	Treatment:	2.Find and cut off the leakage source to prevent the leakage from	
		entering the restricted area such as the sewer.	
6.3	Storage and removal	1.Small leakage: Collect the overflow liquid into the covered	



Methods of leaked chemicals:

container as much as possible, absorb residual liquid with sand or other inert materials. It can also be washed with emulsion or soapy water and detergent made from non combustible dispersion. The used lotion shall be diluted and discharged into the waste water treatment system. The used adsorbent must be disposed by the unit with corresponding treatment qualification in accordance with relevant laws and regulations..

2.Large leakage: Build dike or dig pit to collect, reduce steam disaster, spray water cooling and dilution steam to protect on-site personnel. The leaked collection should be handled by relevant units with appropriate qualifications according to relevant laws and regulations.

7.SAFE HANDLING AND STORAGE

1.Substance/product operators must undergo special safety training and strictly abide by operating rules and relevant regulations.

2.Keep away from fire and heat sources, fast, smoke and drink on site, shower and change clothes after work, and carry out regular physical examination before, during and after employment.

7.1 Operation precautions:

- 3.Pay attention to light loading and unloading during handling to prevent damage to packaging and containers.
- 4.Ensure good ventilation at work place and storage. When using the product, there must be a proper exhaust ventilation device
- 5.The site shall be equipped with corresponding types and quantities of fire-fighting equipment and leakage emergency treatment equipment.
- 1.Store in a dry, cool, ventilated and clean warehouse with no smoking signs to prevent direct sunlight.
- 2.Keep away from fire, heat source, warehouse temperature should be between 8-28 $^{\circ}$ C, and relative humidity should not exceed 80%

7.2 Precautions for storage:

- 3. The packaging shall be sealed and shall not be mixed with oxidant, acid, alkali and edible chemicals. Sufficient fire-fighting equipment shall be provided in the warehouse.
- 4. Keep the packaging in good condition. Each carton of products shall not be stacked higher than five layers, and fire inspection channel shall be reserved.





	8.EXPOSURE CONTROLS/PERSONAL PROTECTION		
8.1	Monitoring method:	Fumed chromatography.	
8.2	Engineering Controls:	Airtight production process, strengthen ventilation, provide safety shower and eyewash equipment.	
8.3	Respiratory protection:	Wear filter type gas mask (half mask) when contacting with steam. Self contained breathing apparatus shall be worn during emergency rescue or evacuation.	
8.4	Eye protection:	Wear safety glasses.	
8.5	Hand protection:	Wear dipped gloves.	
8.6	Skin and body protection:	working cloths.	
8.7	Other:	Smoking, eating and drinking are prohibited at the work site, and the work shall be thoroughly cleaned after completion.	

	9.PHYSICA	L AND CHEMICAL PROPERTIES
9.1	Physical state:	Refer to product specification.
9.2	Color:	Refer to product specification.
9.3	Odor	Refer to product specification.
9.4	pH:	No data available.
9.5	Solubility:	No data available.
9.6	Freezing point:	No data available.
9.7	Boiling point:	No data available.
9.8	Flash point:	No data available.
9.9	Decomposition	No data available.
9.9	temperature	No data avallable.
9.10	Explosive property:	No data available.
9.11	Oxidizability:	No data available.
9.12	Special Gravity:	Refer to product specification.
9.13	Octanol/ water	No data available.
9.13	partition coefficient:	No data avallable.
9.14	Relative vapor	No data available.
	pressure (Air = 1)	No data avaliable.
9.15	Viscosity/mPa*s:	Refer to product specification.

	10.STABILITY AND REACTIVITY		
10.1	Conditions to avoid:	Avoid heat and UV light and other high-energy light.	
10.2	Substances to avoid:	High temperature, Fire, Water.	
10.3	Polymerization hazards:	Harmless.	
10.4	Taboo Substance:	Strong oxidant, Strong alkali, Strong acid.	
10.5	Stability:	The product is stable under normal conditions.	



MSDS

Update: 2020.06.18

11.TOXICOLOGICAL INFORMATION			
11.1	Health Hazard	It may cause eye irritation and skin allergy, avoid ingestion.	
11.2	Acute toxicity:	No	
11.3	Inhalation:	Long term excessive inhalation may cause dizziness.	
11.4	Skin Contact:	There is no obvious stimulation in short-term contact, and	
		long-term contact may cause allergic reaction.	
11.5	Ingestion:	Long term massive ingestion may damage the internal system or	
		organs of the body.	
11.6	Teratogenicity	No	
11.7	Carcinogenicity:	No	
11.8	Gene Mutagenicity:	No	

12.ECOLOGICAL INFORMATION			
12.1	Environmental impact and	Liquid substance, insoluble in water.	
	its distribution:	Not expected to be hazardous.	
12.2	Environmental impact:	No harmful effect on biological organism.	
12.3	Impact on waste water	It can not predict harmful effects on bacteria.	
	treatment plant:		
12.4	Bio-accumulation:	No accumulation ability	

13.DISPOSAL CONSIDERATIONS		
13.1	Disposal methods of	Do not drain into the sewer or ground, dispose of waste in
	products:	accordance with local regulations.
13.2	Packaging waste disposal	Dispose of waste in accordance with local regulations.
	method:	

14.TRANSPORT INFORMATION			
14.1	Road and Rail	Unrestricted.	
	Transportation:		
14.2	Sea Transportation	Not IMDG Code.	
	(IMDG):		
14.3	Air Transportation	Not IATA Regulation.	
	(IATA):		





15.REGULATORY INFORMATION		
		Regulations on the safe use of chemicals in the workplace
15.1	Applicable laws and	[(1996) LBF No. 423] have made corresponding regulations
	regulations:	on the safe use, production, storage, transportation, loading
		and unloading of hazardous chemicals.
		Chemical Inventory:
	IECSC:	All components are listed or exempted.
	KECL:	All components are listed, exempted or announced
	EINECS:	All components are listed or exempted.
		All chemical components in this article are listed in the TSCA
	TSCA:	chemical substances catalogue or exempted from the TSCA
15.2		chemical substances catalogue.
	MITI:	All ingredients are listed in ENCS or its exemption.
		All chemical components in this article are listed in the DSL
	DSL:	chemical substances catalogue or exempted from the DSL
		chemical substances catalogue.
	AICS:	All components are listed or exempted.
	PICCS:	One or more ingredients are not listed or exempted.

16.OTHER INFORMATION		
16.1 Reference Documents	Relevant laws and regulations; Application of organosilicon	
16.1 Reference Documents	products; Analysis and Test technology	
16.2 Tabulation Danautment	Technology Department of Foshan Tian Bao Li Silicon	
16.2 Tabulation Department	Engineering Technology Co., Ltd	